

Mendo Breath

Batch ID or Lot Number: MB07232025	Test: Dry Weight Potency	Reported: 25Aug2025	USDA License: NA
Matrix: Plant	Test ID: T000310390	Started: 21Aug2025	Sampler ID: NA
	Method(s): TM14 (HPLC-DAD) \ TM21 (Karl Fischer)	Received: 19Aug2025	Status: NA

Cannabinoids	LOD (%)	LOQ (%)	Dry Weight Result (%)	MU Range (%)	Notes
Cannabichromene (CBC)	0.018	0.067	ND	ND	
Cannabichromenic Acid (CBCA)	0.016	0.061	0.316	0.292 - 0.340	
Cannabidiol (CBD)	0.060	0.163	ND	ND	
Cannabidiolic Acid (CBDA)	0.061	0.167	ND	ND	
Cannabidivarin (CBDV)	0.014	0.039	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.026	0.070	ND	ND	
Cannabigerol (CBG)	0.010	0.038	ND	ND	
Cannabigerolic Acid (CBGA)	0.043	0.159	0.294	0.271 - 0.317	
Cannabinol (CBN)	0.013	0.050	ND	ND	
Cannabinolic Acid (CBNA)	0.029	0.108	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.051	0.189	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.046	0.172	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.041	0.152	28.672	26.919 - 30.425	
Tetrahydrocannabivarin (THCV)	0.009	0.035	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.036	0.134	ND	ND	
Total Cannabinoids			29.282	27.469 - 31.095	
Total Potential THC			25.883	24.346 - 27.420	

Final ApprovalJudith Marquez
25Aug2025
02:54:00 PM MDTSam Smith
25Aug2025
03:00:00 PM MDT

PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/7f3f24b4-eced-46-f-8de2-2e3386cfc915>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Percentage of Delta 9-THC on a dry weight basis = The percentage of Delta 9-THC by weight in cannabis item after excluding all moisture from the item. Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa * (0.877)) and Total CBD = CBD + (CBDa * (0.877)). Fail equates to a concentration level of Delta 9-THC, on a dry weight basis, higher than 0.3 percent + or - the measurement uncertainty.

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

7f3f24b4eced460f8de22e3386cfc915.1